


TELEGRAPHIC ADDRESS
"BRADES—BIRMINGHAM."

TELEPHONE
OLDBURY 101.

CODES
A B C 4TH AND 5TH EDITIONS.
WESTERN UNION.

WILLIAM HUNT & SONS, THE BRADES, LTD.,
BRADES STEEL WORKS,
NEAR BIRMINGHAM.



FROM AN AERIAL PHOTOGRAPH.

(ESTABLISHED UPWARDS OF A CENTURY.)

1922.

This Catalogue No. *4844* remains the property of
WILLIAM HUNT & SONS, THE BRADES, LD.
and is issued to


Messrs *C. Wills & Sons, Birmingham House*
Westbourne *Bournemouth*

on the understanding that it will not be parted with
except in their interests.

Date *22nd November 1922*

REGISTERED TRADE MARKS

BRADES C^o



BRADES MILLS

BRADES C^o



HUNT & SONS





W H S
HUNT & SONS
BRADES C^o





W H S
BRADES C^o



W H S
7




SHILLALAH




WILLIAM HUNT & SONS, THE BRADES, LD.

BILL HOOKS.


No.	Telegraphic Word.			
203	Spatkluft	OPEN SOCKET CALABOZO 9-in., 63/-	⌘ doz.	
219	Spatisum	BRAZIL BILL HOOK 10-in., 61/6 ; 11-in., 67/-	"	
		Size No.	0	1
			2	3
223	Spaurata	BRIGHT BARBADOS CANE BILL 77/- 81/- 85/-	"	
224	Spaurando	CANE BILL 45/- 47/6 51/6 55/6	"	
224	Spaurassi	" " Bright 47/6 51/6 55/6 59/6	"	
225	Spatules	BRIGHT MAURITIUS CANE BILL 47/6 51/6 55/6 59/6	"	
226	Spatroth	BLACK MASONS' BILL HOOK 47/6 51/6	"	
1658	Spaurerai	PERUVIAN HEDGE BILL , Bright and Blued 77/- 82/6 87/6	"	
229	Spatodea	SOCKET COA 43/6	"	
240	Spavined	COCOA PRUNER 41/-	"	
242	Spazioso	BANANA PRUNER 61/6	"	
		Weight	2	2¼
		Length	12	13
			14	lbs.
244	Spaurero	CAPE BUSH HOOK 64/6 67/- 69/-	⌘ doz.	
	Spauroso	" " " Cheaper Grade 55/6	"	
			10	11
			12	inches.
249	Spavaldo	SOCKET FURZE HOOK , Bright and Blued 61/6 65/6 69/-	⌘ doz.	
250	Spavenio	" " " " " 61/6 65/6 69/-	"	
1657	<i>Bright & Blued Spazzola Cheaper Grade Spazzolare</i>	SOUTH AMERICAN HOOK , Bright and Blued, 61/6 ; Cheaper Grade, 56/6	"	




242




219




203




229




226



225




224




223



240



1657




1658



244



249




250

WILLIAM HUNT & SONS, THE BRADES, LD.

BILL HOOKS.


No.		8	9	10	11	inches.
174	NOTTINGHAM BILL HOOK , with Back	68/-	73/-	78/-		3 doz.
175	BANBURY BILL HOOK , with Back		73/-	78/-		"
176	KENT BILL HOOK , with Back	68/-	73/-	78/-		"
205	SOCKET KENT BILL HOOK , with Back	72/-	77/-	82/-		"
191	KENT BILL HOOK	55/-	59/-	65/-		"
212	SOCKET KENT BILL HOOK , Handled	59/-	63/-	69/-		"
186	SUSSEX BILL HOOK	55/-	59/-	65/-		"
187	HAMPSHIRE BILL HOOK	55/-	59/-	65/-		"
189	" " " Faggoting	55/-	59/-	65/-		"
199	BLOCK BILL HOOK	55/-	59/-	65/-		"
216	" " " with Socket, Handled	59/-	63/-	69/-		"
291	CHIPPENHAM BILL HOOK	50/-	52/-	54/-		"
217	DEVON " " (Half-Turn)		54/-	57/-	60/-	"
170	GENTLEMAN'S BILL HOOK , 7½-inches, with Back				78/-	"
183	" " " 7½-inches				70/-	"
292	SPIT HOOK , 7-inches				36/-	"
293	" " 7-inches				36/-	"



WILLIAM HUNT & SONS, THE BRADES, LD.

BILL HOOKS.


No.		8	9	10	inches.
177	SHROPSHIRE BILL HOOK , with Back	68/-	73/-	78/-	3 doz.
185	TENTERDEN " "	55/-	59/-	65/-	"
		Size No.		1	3
		Length		10	11
		inches.			
192	PONTYPOOL BILL HOOK		62/-	68/-	3 doz.
			10	11	12
		inches.			
193	NEWTOWN BILL HOOK	57/-	60/-	66/-	3 doz.
194	KNIGHTON " "	57/-	60/-	66/-	"
196	SHIFNAL " "	57/-	60/-	66/-	"
		8	9	10	11
		inches.			
195	RODDING BILL HOOK			58/-	62/-
		3 doz.			
200	SOCKET SUFFOLK BILL HOOK , Handled	63/-	66/-	72/-	"
204	LLANDILO BILL HOOK			55/-	"
208	SOCKET OFFLEY " "	55/-	59/-	65/-	"
210	" HERTFORDSHIRE BILL HOOK	55/-	59/-	65/-	"
211	" " " "	55/-	59/-	65/-	"
214	" WATFORD BILL HOOK	55/-	59/-	65/-	"
281	" WOODSTOCK BILL HOOK	55/-	59/-	65/-	"
284	" GLOUCESTER " "	50/-	52/-	54/-	"
288	GLOUCESTER BILL HOOK	50/-	52/-	54/-	"
290	BRISTOL BILL HOOK	50/-	52/-	54/-	60/-
		"			




WILLIAM HUNT & SONS, THE BRADES, LD.

AXES.

No.	Telegraphic Word.	Weight of Head	3	3½	4	4½	5	5½	6	lbs.
298	Spekpriem	BRAZIL AXE	105/6	111/6	119/-	129/6	139/-	149/6	160/-	Ⓕ doz.
322	Spericola	CHILIAN AXE, Oval Eye	90/-	95/6	104/-	112/6	118/6	124/6	133/-	"
1538	Sperlingen	" " Round Eye	102/-		110/-		116/-			"
1544	Spermagra	SOUTH AMERICAN AXE, Flat Head		111/6	119/-	129/6	139/-	149/6	160/-	"
1546	Spermatia	" " " De Tumba		110/-	118/6	126/-	134/-			"
1548	Spermeste	" " " Labor Entera		95/6	105/6	115/-	124/6			"
1549	Spermiole	" " " Media Labor		95/6	105/6	115/-	124/6			"
1554	Spernique	CAPE AXE, Oval Eye, Handled ...			150/6	157/-	162/6	172/6	182/-	"
1561	<i>Heads</i> <i>Best Grade</i> <i>Spermodon</i> <i>Second Grade</i> <i>Spernacem</i> <i>Handled</i> <i>Best Grade</i> <i>Spernacis</i> <i>Second Grade</i> <i>Spernax</i>	YANKEE AXES :—								
		Heads only, Best Grade	86/-	93/6	102/-	110/-	119/-	130/6	141/-	"
		" " Cheaper Grade	74/-	81/6	90/-	98/-	105/6	116/-	127/-	"
		Handled, Best Grade	133/-	139/-	144/6	150/6	158/-	166/-	176/-	"
		" Cheaper Grade	106/6	113/6	122/-	131/6	141/-	150/6	161/6	"
		YANKEE AXES :— Assorted Weights		3½ to 4½	4¼ to 5¼	4½ to 6	5 to 7			lbs.
	Handled, Best Grade		144/6	154/6	161/6	176/-			Ⓕ doz.	
	" Cheaper Grade		122/-	139/-	147/-	161/6			"	
1565	Spernimus	COLONIAL AXE, 'COCKATOO' BRAND, Handled					3½	4	4½	lbs.
		Assorted Weights					154/6	160/-	166/-	Ⓕ doz.
							3½ to 4½			lbs.
							160/-			Ⓕ doz.
1566	<i>Heads only</i> <i>Sperrnitz</i> <i>Handled</i> <i>Sperrung</i>	YANKEE AXE, Hollowed Blade, Heads only		3½	4	4½	5	5½	6	lbs.
		" " " " Handled		98/-	106/6	115/-	124/6	135/-	146/-	Ⓕ doz.
			143/6	149/6	155/6	162/6	171/-	180/6		"





322




1538




1566



1565




1561




298




1544




1554



1549



1548




1546

WILLIAM HUNT & SONS, THE BRADES, LD.

AXES.

No.	Telegraphic Word.											
347		FELLING AXE	4 to 7-lbs.,	2/4½	Ⓔ lb.		
352		"	" Sussex Pattern	4 to 7-lbs.,	2/4½	"		
347	}	"	" Handled	3	4½	5	5½	6	lbs.	
352				143/-	157/-	171/-	185/-	200/-	Ⓔ doz.			
346	} <i>Blued</i> Spesuzza <i>Self-Colour</i> Spezzerei	MORTISING AXE,	1½, 1¾, 2 inch on the edge, Blued, 2/3½; Self-Colour, 1/9½									Ⓔ lb.
354			} <i>Heads</i> Spinulous <i>Handled</i> Spinuzza	BROAD AXE,	Solid Steeled, Bright and Japanned			5 to 7½	7 to 9	8 to 10		lbs.
		"		"	"	"	Handled	262/-	285/-	308/-	Ⓔ doz.	
367	Spongoid	HALF AXE,	2¼-lbs. Head	100/-	"		
368	Spolperei	THREE-QUARTER AXE,	2½-lbs. Head	107/-	"		
369	Spontiva	QUARTER AXE,	2-lbs. Head	90/-	"		
1550		MINERS' AXE,	Welsh Pattern, Japanned	Heads	5	5½	6	6½	7	lbs.		
		"	"	"	"	Handled	121/-	133/6	145/6	157/6	169/6	Ⓔ doz.
		"	"	"	"	Handled	149/6	162/-	174/-	186/-	198/-	"
1551	Splendeur	CEYLON AXE,	Round Eye	2½	3	3½	4	4½	lbs.	
		"	"	56/-	58/-	60/-	63/-	65/-	Ⓔ doz.	
1553	Spirabant	CEYLON AXE,	Round Eye, Bright & Japan'd	67/6	69/6	71/6	73/6	76/6		"		
1553B	Spitszuil	"	" " " " Cheaper Grade	56/-	58/-	60/-	63/-	65/-		"		
1609	Splendido	JAVA AXE,	Oval Eye, Blued	3-lbs.,	1/10½	Ⓔ lb.		
1610	Spontivus	CHINESE AXE	1¼	1½	1¾	2	lbs.		
		"	" Handled	Ⓔ doz.		
	Spoppiate	"	"	Handled	Extra	16/-	"		



WILLIAM HUNT & SONS, THE BRADES, LD.

AXES.

No.	Telegraphic Word.												
336		SUFFOLK AXE ...	{	No. 1 (2½-lbs.)	No. 2 (3-lbs.)	No. 3, (3½-lbs.)	No. 4, (4-lbs.)	}	1/6½	Ⓕ lb.			
		" " Handled Extra	21/-	22/6	24/-	25/6				Ⓕ doz.			
332	Spuleggia	KENT AXE ...	Weight	2	2½	3	3½	4	4½	5-lbs.	2/2	Ⓕ lb.	
339	Spuleisen	" " Half-Bright	2/4	"	
340		" " Bright and Blued	2/9	"	
301	Spuleremo	" " Handled	...	66/6	75/6	86/6	95/6	112/6	126/6	141/6		Ⓕ doz.	
303	Spulezzo	" " Half-Bright, Handled	70/6	79/6	90/6	99/6	116/6	130/6	145/6			"	
340H		" " Bright and Blued, Handled	74/6	83/6	94/6	103/6	120/6					"	
334		SCOTCH AXE	Ordinary Finish, 2/1½ ; Blued,	2/9½	Ⓕ lb.
343		KENT SIDE AXE	2/6	"	
358		TOPPING AXE, Round Poll	2/6	"	




332



339



343



301



334



336




358

WILLIAM HUNT & SONS, THE BRADES, LD.

HATCHETS.

No.	Telegraphic Word.		Weight					lbs.
			2	2½	3			
301	Spuleremo	KENT HATCHET	66/6	75/6	86/6			doz.
303	Spulezzo	" " Half-Bright	70/6	79/6	90/6			"
340H		" " Bright and Blue	74/6	83/6	94/6			"
304		SCOTCH "	66/6	75/6	86/6			"
		" " Half Bright	70/6	79/6	90/6			"
305		" " Bright and Blued	74/6	83/6	94/6			"
			Size No.					
			1	2	3	4	5	
311B	Corporator	" EAGLE " HOUSEHOLD HATCHET	45/-	48/-				"
289	Spumabunt	CROWN CANADIAN HATCHET	57/-	61/6				"
311	Spulciava	STEEL POLL HATCHET		57/-	60/-			"
314	Splaneno	SHINGLING HATCHET	52/-	54/-	56/-			"
316	Spurcabas	CLAW HATCHET	54/-	56/6	59/-			"
341	Spumosite	AXE HATCHET	48/-	51/6				"
355	Spulfaden	BROAD HATCHET	75/-	77/-	82/-	88/6	100/-	"
378	Squinante	HUNTERS' HATCHET	48/-	51/6				"
1688	Squireage	LATH HATCHET	51/6	53/6	55/6			"
313	Corporizo	FIREMEN'S HATCHET					133/6	"



WILLIAM HUNT & SONS, THE BRADES, LD.

ADZES.

No.	Telegraphic Word.	Size No.	1	2	3			
382		CARPENTER'S ADZE	70/6	75/6	82/-	⌘ doz.		
1510	Stalactis	" " Blued	46/-	49/-	53/6	"		
400	Stalbuis	" " Bright and Japanned	137/6	144/-	150/6	"		
1504	Stallamt	HAMMER HEAD ADZE , Slotted, Round Eye, Bright & Blued	85/6	87/6	91/-	"		
1504B	Stallkuh	" " " " " " Cheaper Grade	67/6	72/6	79/-	"		
399	Stallmagd	LOOP (OR STIRRUP) ADZE , Bright and Blued width, inches	66/- 4	70/- 4½	75/6 5	"		
385		SHIP ADZE	80/6	87/6	95/-	"		
396	Stallrind	WHEELERS' ADZE , Bright and Japanned	102/6	108/6	117/-	"		
396B	Stultify	" " Cheaper Grade	85/-	89/-	93/-	"		
392	Stambecco	PLATELAYERS' ADZE , Flat Head, Bright and Blued ...	147/-	154/-	160/-	"		
		No.	000	00	0	1	2	
		Size of Blade	5½ × 3	5¼ × 3½	5½ × 3¼	5¾ × 3¾	6 × 3½	inches
1513	Stanwapen	CARPENTERS' ADZE , Half Head, Blued	76/-	83/6	91/-	97/-	106/-	⌘ doz.
1511	Stanberga	TRACKMAN'S SPIKING ADZE , Bright and Blued				5½-lbs.,	159/6	"
1509	Stamuilen	EASTERN ADZE					34/6	"
1512	Sperver	CARPENTERS' ADZE , Spur Poll, Bronzed, 3½in. to 4¼in. on the edge				3lbs.	114/-	"



1510



396



382



400



399



1504



1512




1513



385



1511



392



1509

WILLIAM HUNT & SONS, THE BRADES, LD.

COOPERS' TOOLS.


No.	Description	Size No.		
		1	2	
1801	ROUNDING ADZE , Bright and Blued	97/-	103/6	⊘ doz.
1803	SHARP ADZE , Bright and Blued	67/6	73/-	"
1806	NAIL ADZE , Liverpool Pattern, Bright and Blued	79/-	85/6	"
1811	FRUIT ADZE , Bright and Blued	65/-		"
1826	COOPERS' DRIVER , Bent 2½-lbs.	46/-		"
1827	COOPERS' DRIVER	67/6		"
1828	COOPERS' DRIVER , Scotch Pattern	67/6		"
1829	PALING FROE 8-in., 74/-; 9-in., 75/6; 10-in., 80/-; 12-in., 85/6			"



1827



1828



1811



1826




1806



1803



1801














1829

WILLIAM HUNT & SONS, THE BRADES, LD.

COOPERS' TOOLS.

No.		8	9	10	11	12	inches.
1830	DRAWING KNIFE , Bright and Blued			91/-	100/-	109/-	3 doz.
1831	HEADING KNIFE , " "			91/-	100/-	109/-	"
1832	HOLLOWING KNIFE , Bright and Blued	91/-	100/-	109/-			"
1838	" " Liverpool Pattern, Bright and Blued...	91/-	100/-	109/-			"
1835	JIGGER , Liverpool Pattern, Bright and Blued	122/-		127/6	131/-	139/-	"
1846	BENCH KNIFE	182/6	201/-	219/-			"
1833	JIGGER , London Pattern, Bright and Blued - Length on edge, 2½ ins., 84/-; 3-ins., 91/-						"
1836	CRUMMING KNIFE , Belfast Pattern, Bright and Blued					91/-	"
1842	ROUND SHAVE , Two hand, Bright and Blued					60/6	"
1856	BUNG BORER , Screw Nose, Handled		2-ins., 11/9	2½-ins., 12/-			each.
1857	TAP BORER , Handled				1½-ins., 9/-		"



WILLIAM HUNT & SONS, THE BRADES, LD.

CARPENTERS' TOOLS.

No.	Telegraphic Word.											
TURNSCREWS :—			3	4	5	6	7	8	9	10	inches.	
2360	Stagyrite	London	8/-	9/6	11/-	13/-	16/-	18/6	21/-	25/6	doz.	
2365	Stagzeii	Cabinet	9/6	11/-	13/-	16/-	18/6	21/-	25/6	29/-	"	
2366		Cabinet, with Oval Boxwood Handle ...	9/-	10/-	11/-	12/-	14/-	16/6	19/-	22/-	"	
2367		Machine	8/-								"	
2391		BRADAWL , Round Ash Handles, Assorted Sizes								74/-	doz.	
		" Round Beech " " "								74/-	"	
		" Oval Beech " " "								77/-	"	
							To	2½	3	3½	4	inches.
2394	Statianus	BEECHWOOD SPOKESHAVE						14/-	16/-	19/-	21/-	doz.
2395	Staticulum	" " Plated						18/-	20/-	24/-	28/-	"
2389		" " Plated, with Set Screws						34/-	38/-	42/-	48/-	"
2396		BOXWOOD SPOKESHAVE						20/-	24/-	28/-	32/-	"
2387		" " Plated						25/-	29/-	33/-	37/-	"
2388		" " Plated, with Set Screws						42/-	46/-	50/-	56/-	"
								8	9	10	inches.	
2289	Statism	CARPENTERS' DRAWING KNIFE						35/-	36/9	38/6	doz.	
2398		" " " with Egg Shaped Handles						28/6	30/-	32/-	"	
2400		" " " Best Quality						28/6	30/-	32/-	"	
			1½	1¾	1⅞	2	2½	2¾	2⅞	2½	inches.	
2380	Stechzeug	DOUBLE PLANE IRON	16/3	16/9	17/9	18/6	19/3	21/3	23/3	24/9	doz.	
2381	Steckbaum	CUT " "	8/6	8/9	9/6	10/-	10/6	12/-	13/3	14/-	"	
2382		UNCUT " "	8/-	8/3	9/-	9/6	10/-	11/6	12/9	13/6	"	
2383		PLANE IRON BACK , with Brass Nut and Iron Screw	6/3	6/3	6/6	6/9	7/-	7/6	8/3	9/-	"	
2379		PARALLEL PLANE IRON	11/-	11/3	12/-	12/6	13/-	14/6	15/9	16/6	"	



2360



2365



2367



2391



2366



2394



2383




2382




2395




2381




2289



2398



2379



2400



2380

WILLIAM HUNT & SONS, THE BRADES, LD.

STEEL.

No.

BEST BEST CAST STEEL , for Taps, Dies, &c.	# cwt.
BEST CAST STEEL , for Turning Tools, Best Chisels, Machine Tools, &c., &c. ...	"
" " " for Smiths' Tools, &c., &c.	"
W.H.S. CAST STEEL , for Chisels and Ordinary Purposes	"
BEST W.H. CAST STEEL , for Miners' and Masons' Tools	"
W.H. CAST STEEL " " " "	"
JUMPER STEEL " " " "	"
BEST SHEET CAST STEEL , for Springs, &c., Stock Sizes 10 Ga. to 28 Ga. ...	"
DOUBLE SHEAR STEEL	"
SINGLE " "	"
ROLLED AND TILTED STEEL , for Welding	"
BLISTER STEEL	"
MILD TOUGH STEEL , stocked in Rounds, Squares, &c. of all running sizes ...	"
FREE-CUTTING STEEL , for Automatic Machines (stocked in Hexagons of all running sizes)	"
SPECIAL STEEL (will harden) stocked in Rounds, Squares, &c. of all running sizes...	"
MILD SHEET STEEL , for Stamping and Working Up	"

USUAL TRADE EXTRAS IN ALL CASES.

Prices subject to alteration without advice.

**SPECIALITIES—STEEL FORGINGS. SHEAR BLADES. STEELS OF ALL KINDS
FOR SPECIAL PURPOSES, &c., &c.**

**IN ALL CASES, WHEN ORDERING STEEL, PLEASE SAY THE PURPOSE FOR WHICH IT IS
TO BE USED, SO THAT THE MOST SUITABLE TEMPER MAY BE SENT.**